

Datasheet for ABIN6979361

anti-PTPN12 antibody (AA 1-100) (AbBy Fluor® 594)



Go to Product page

_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Alternative Name:

Quantity:	100 μL
Target:	PTPN12
Binding Specificity:	AA 1-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PTPN12 antibody is conjugated to AbBy Fluor® 594
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)),
	Immunofluorescence (Cultured Cells) (IF (cc))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human PTPN12
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	PTPN12

PTPN12 (PTPN12 Products)

Target Details

Background:	Synonyms: Protein tyrosine phosphatase G1, Protein tyrosine phosphatase non receptor type
	12, Protein-tyrosine phosphatase G1, PTN12_HUMAN, PTP PEST, PTP-PEST, PTPG1, Ptpn12,
	Tyrosine protein phosphatase non receptor type 12, Tyrosine-protein phosphatase non-receptor
	type 12.
	Background: The protein encoded by this gene is a member of the protein tyrosine phosphatase
	(PTP) family. PTPs are signaling molecules that regulate a variety of cellular processes
	including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP
	contains a C-terminal PEST motif, which serves as a protein-protein interaction domain, and
	may regulate protein intracellular half-life. This PTP was found to bind and dephosphorylate the
	product of the oncogene c-ABL and thus may play a role in oncogenesis. This PTP was also
	shown to interact with, and dephosphorylate, various products related to cytoskeletal structure
	and cell adhesion, such as p130 (Cas), CAKbeta/PTK2B, PSTPIP1, and paxillin. This suggests it
	has a regulatory role in controlling cell shape and mobility. Alternative splicing results in
	multiple transcript variants encoding distinct isoforms. [provided by RefSeq, Oct 2008]
Gene ID:	5782
UniProt:	Q05209
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months