# antibodies .- online.com





# anti-SCFD2 antibody (AA 501-600) (Alexa Fluor 647)



Go to Product page

| $\sim$ |     |    |     |             |    |
|--------|-----|----|-----|-------------|----|
|        | 1/6 | ⊃r | 1// | $\triangle$ | ٨/ |

| Quantity:            | 100 μL   |
|----------------------|--|
| Target:              | SCFD2  |
| Binding Specificity: | AA 501-600   |
| Reactivity:          | Human, Mouse, Rat  |
| Host:                | Rabbit   |
| Clonality:           | Polyclonal   |
| Conjugate:           | This SCFD2 antibody is conjugated to Alexa Fluor 647   |
| Application:         | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

#### **Product Details**

| Immunogen:            | KLH conjugated synthetic peptide derived from human SCFD2 |
|-----------------------|---|
| Isotype:              | IgG   |
| Cross-Reactivity:     | Human, Mouse, Rat   |
| Predicted Reactivity: | Dog,Cow,Sheep,Pig,Horse                                   |
| Purification:         | Purified by Protein A.                                    |

## Target Details

| Target:           | SCFD2                  |
|-------------------|------------------------|
| Alternative Name: | SCFD2 (SCFD2 Products) |

## **Target Details**

| Background:         | Synonyms: FLJ21060, FLJ39514, SCFD 2, Scfd2, SCFD2_HUMAN, Sec1 family domain                 |
|---------------------|--|
|                     | containing 2, Sec1 family domain containing protein 2, Sec1 family domain-containing protein |
|                     | 2, STXBP1L1, Syntaxin binding protein 1 like 1, Syntaxin-binding protein 1-like 1.           |
|                     | Background: SCFD2 is a 684 amino acid protein suggested to play a role in protein transport. |
|                     | Existing as two alternatively spliced isoforms, SCFD2 is a member of the STXBP/unc-18/SEC1   |
|                     | family and is encoded by a gene that maps to human chromosome 4q12. Chromosome 4             |
|                     | represents approximately 6 % of the human genome and contains nearly 900 genes. Notably,     |
|                     | the Huntingtin gene, which is found to encode an expanded glutamine tract in cases of        |
|                     | Huntington's disease, is on chromosome 4. FGFR-3 is also encoded on chromosome 4 and has     |
|                     | been associated with thanatophoric dwarfism, achondroplasia, Muenke syndrome and bladder     |
|                     | cancer. Chromosome 4 is also tied to Ellis-van Creveld syndrome, methylmalonic acidemia and  |
|                     | polycystic kidney disease.   |
| Gene ID:            | 152579   |
| UniProt:            | Q8WU76   |
| Application Details |  |
| Application Notes:  | IF(IHC-P) 1:50-200   |
|                     | IF(IHC-F) 1:50-200   |
|                     | IF(ICC) 1:50-200   |
| Restrictions:       | For Research Use only  |
| Handling            |  |
| Format:             | Liquid   |
| Concentration:      | 1 μg/μL  |
| Buffer:             | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and  |
|                     | 50 % Glycerol.   |
| Preservative:       | ProClin  |
| Precaution of Use:  | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be          |
|                     | handled by trained staff only.   |
| Storage:            | -20 °C   |
|                     |  |

|          |       | 1.   |   |
|----------|-------|------|---|
| $\vdash$ | land  | lın  |   |
|          | ıaııu | 1111 | U |
|          |       |      |   |

Expiry Date:

12 months