

#### Datasheet for ABIN6980051

# anti-AP3B1 antibody (AA 1-100) (AbBy Fluor® 647)



#### Overview

| Overview              |  |
|-----------------------|--|
| Quantity:             | 100 μL   |
| Target:               | AP3B1  |
| Binding Specificity:  | AA 1-100   |
| Reactivity:           | Human, Mouse, Xenopus laevis   |
| Host:                 | Rabbit   |
| Clonality:            | Polyclonal   |
| Conjugate:            | This AP3B1 antibody is conjugated to AbBy Fluor® 647                                     |
| Application:          | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence |
|                       | (Paraffin-embedded Sections) (IF (p))  |
| Product Details       |  |
| Immunogen:            | KLH conjugated synthetic peptide derived from human HPS2                                 |
| Isotype:              | IgG  |
| Cross-Reactivity:     | Human, Mouse, Xenopus laevis   |
| Predicted Reactivity: | Rat,Dog,Cow,Sheep,Pig,Horse,Cat  |
| Purification:         | Purified by Protein A.   |
|                       |  |

## Target Details

Target: AP3B1

Alternative Name: HPS2 (AP3B1 Products)

### **Target Details**

| Synonyms: AP-3 complex subunit beta-1, AP3B1, Adaptor protein complex AP-3 subunit beta-1,      |
|---|
| -, -, -::   |
| Adaptor-related protein complex 3 subunit beta-1, Beta-3A-adaptin, Clathrin assembly protein    |
| complex 3 beta-1 large chain, AP3B1, ADTB3A   |
| Background: Subunit of non-clathrin- and clathrin-associated adaptor protein complex 3 that     |
| plays a role in protein sorting in the late-Golgi/trans-Golgi network (TGN) and/or endosomes.   |
| The AP complexes mediate both the recruitment of clathrin to membranes and the recognition      |
| of sorting signals within the cytosolic tails of transmembrane cargo molecules. AP-3 appears to |
| be involved in the sorting of a subset of transmembrane proteins targeted to lysosomes and      |
| lysosome-related organelles.  |
| 8546  |
| 000203  |
| SARS-CoV-2 Protein Interactome  |
|   |
| IF(IHC-P) 1:50-200  |
| IF(IHC-F) 1:50-200  |
| IF(ICC) 1:50-200  |
| For Research Use only   |
|   |
| Liquid  |
| 1 μg/μL   |
| Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and     |
| 50 % Glycerol.  |
| ProClin   |
| This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be             |
| handled by trained staff only.  |
| -20 °C  |
| Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.               |
| 12 months   |
|   |