# antibodies -online.com







# anti-MTR antibody (AA 1001-1100) (Alexa Fluor 647)



( )	11/0	K\ /	iew	1
	$\cup$	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	MTR
Binding Specificity:	AA 1001-1100
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MTR antibody is conjugated to Alexa Fluor 647
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human MTR
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

## **Target Details**

Target:	MTR
Alternative Name:	MTR (MTR Products)

## **Target Details**

9		
Background:	Synonyms: Methionine synthase, MTR, 5-methyltetrahydrofolatehomocysteine,	
	methyltransferase, Vitamin-B12 dependent methionine synthase, MS	
	Background: MTR encodes the enzyme 5-methyltetrahydrofolate-homocysteine	
	methyltransferase. This enzyme, also known as cobalamin-dependent methionine synthase,	
	catalyzes the final step in methionine biosynthesis. Mutations in MTR have been identified as	
	the underlying cause of methylcobalamin deficiency complementation group G.	
Gene ID:	238505	
UniProt:	Q99707	
Pathways:	Methionine Biosynthetic Process	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	