antibodies .- online.com





anti-MAGOH antibody (AA 51-148) (Alexa Fluor 647)



Go to	D		
	Pron	ויאווו	Dage

()	ve	K\ /		A .
	\cup	1 V/	-	V۷

Quantity:	100 μL
Target:	MAGOH
Binding Specificity:	AA 51-148
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MAGOH antibody is conjugated to Alexa Fluor 647
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MAGOH/Mago nashi homolog 2
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow
Purification:	Purified by Protein A.

Target Details

Target:	MAGOH
Alternative Name:	MAGOH (MAGOH Products)

Target Details

Background:	Synonyms: FLJ10292, MAGO, Mago nashi homolog 2, Mago nashi homolog B, MAGOH,
	MAGOH2, MAGOHB, MGN2, MGN2_HUMAN, Protein mago nashi homolog 2.
	Background: MAGOHB (Mago Homolog B, Exon Junction Complex Subunit) is a Protein Coding
	gene. Diseases associated with?MAGOHB include?Metaphyseal Chondrodysplasia, Schmid
	Type?and?Chromosome 22Q11.2 Deletion Syndrome, Distal. Among its related pathways
	are?Cleavage of Growing Transcript in the Termination Region?and?Transport of Mature
	Transcript to Cytoplasm. An important paralog of this gene is?MAGOH.
Gene ID:	55110
UniProt:	Q96A72
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months