
antibodies .- online.com





anti-PSMC3IP antibody (AA 1-100) (AbBy Fluor® 647)



Go to Product page

()	1/0	r\ / I	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	PSMC3IP
Binding Specificity:	AA 1-100
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PSMC3IP antibody is conjugated to AbBy Fluor® 647
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PSMC3IP
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	PSMC3IP
Alternative Name:	PSMC3IP (PSMC3IP Products)

Target Details

Background:	Synonyms: 26S protease regulatory subunit 6A, 26S proteasome AAA-ATPase subunit RPT5,
	Human immunodeficiency virus tat transactivator binding protein 1, MGC8487, Proteasome
	(prosome macropain) 26S subunit ATPase 3, Proteasome 26S ATPase subunit 3, Proteasome
	26S subunit ATPase 3, Proteasome subunit P50, PRS6A_HUMAN, PSMC 3, PSMC3, Tat binding
	protein 1, TAT-binding protein 1, TBP-1, TBP1.
	Background: This gene encodes a protein that functions in meiotic recombination. It is a
	subunit of the PSMC3IP/MND1 complex, which interacts with PSMC3/TBP1 to stimulate
	DMC1- and RAD51-mediated strand exchange during meiosis. The protein encoded by this
	gene can also co-activate ligand-driven transcription mediated by estrogen, androgen,
	glucocorticoid, progesterone, and thyroid nuclear receptors. Mutations in this gene cause XX
	female gonadal dysgenesis. Alternative splicing of this gene results in multiple transcript
	variants. [provided by RefSeq, Dec 2011]
Gene ID:	29893
UniProt:	Q9P2W1
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

		1.	
\vdash	land	ling	
1 1	ıaııu	11111	۰

Expiry Date:

12 months