antibodies .- online.com





Datasheet for ABIN6980269

anti-DBNL antibody (AA 201-300) (Alexa Fluor 647)



\sim			
	N/F	۱۱/۱م	iew/

Quantity:	100 μL
Target:	DBNL
Binding Specificity:	AA 201-300
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DBNL antibody is conjugated to Alexa Fluor 647
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human HIP55
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human
Purification:	Purified by Protein A.

Target Details

Target:	DBNL
Alternative Name:	HIP55 (DBNL Products)

Target Details

Background:	Synonyms: ABP1, Actin-binding protein 1, Cervical mucin associated protein, Cervical mucin-	
	associated protein, Cervical SH3P7, CMAP, Dbnl, DBNL_HUMAN, Drebrin F, drebrin like, Drebrin	
	like protein, Drebrin-F, Drebrin-like protein, HIP 55, HIP-55, HPK1 interacting protein of 55 kDa,	
	HPK1-interacting protein of 55 kDa, SH3 domain containing protein 7, SH3 domain-containing	
	protein 7, SH3P7, Src Homology 3 Domain Containing Protein, src homology 3 domain	
	containing protein HIP	
	Background: Adapter protein that binds F-actin and DNM1, and thereby plays a role in receptor-	
	mediated endocytosis. Plays a role in the reorganization of the actin cytoskeleton, formation of	
	cell projections, such as neurites, in neuron morphogenesis and synapse formation via its	
	interaction with WASL and COBL. Does not bind G-actin and promote actin polymerization by	
	itself. Required for the formation of organized podosome rosettes (By similarity). May act as a	
	common effector of antigen receptor-signaling pathways in leukocytes. Acts as a key	
	component of the immunological synapse that regulates T-cell activation by bridging TCRs and	
	the actin cytoskeleton to gene activation and endocytic processes.	
Gene ID:	28988	
UniProt:	Q9UJU6	
Pathways:	TCR Signaling, Regulation of Actin Filament Polymerization	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	

Handling

Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months