antibodies -online.com





anti-SCG5 antibody (AA 1-100) (Alexa Fluor 680)



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL	
Target:	SCG5	
Binding Specificity:	AA 1-100	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SCG5 antibody is conjugated to Alexa Fluor 680	
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Secretogranin-5
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	SCG5	
Alternative Name:	Secretogranin-5 (SCG5 Products)	

Target Details

Expiry Date:

rai got botano		
Background:	Synonyms: 7B2, SgV, P7B2, SGNE1, Neuroendocrine protein 7B2, Pituitary polypeptide,	
	Secretogranin V, Secretogranin-5, Secretory granule endocrine protein I, SCG5	
	Background: Acts as a molecular chaperone for PCSK2/PC2, preventing its premature	
	activation in the regulated secretory pathway. Binds to inactive PCSK2 in the endoplasmic	
	reticulum and facilitates its transport from there to later compartments of the secretory	
	pathway where it is proteolytically matured and activated. Also required for cleavage of PCSK2	
	but does not appear to be involved in its folding. Plays a role in regulating pituitary hormone	
	secretion. The C-terminal peptide inhibits PCSK2 in vitro.	
Gene ID:	6447	
UniProt:	P05408	
Application Details		
Application Notes:	FCM 1:20-100	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Forming Detail	10	

12 months