# antibodies -online.com





## anti-H1FX antibody (AA 21-120) (Alexa Fluor 680)



#### Overview

Quantity:	100 μL
Target:	H1FX
Binding Specificity:	AA 21-120
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This H1FX antibody is conjugated to Alexa Fluor 680
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Histone H1.X
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Cow,Sheep,Pig
Purification:	Purified by Protein A.

### **Target Details**

Target:	H1FX
Alternative Name:	Histone H1.X (H1FX Products)

### **Target Details**

Synonyms: H1 histone family member X, Histone H1fx, H1FX, H1X_HUMAN_ H1X, Histone H1x,
MGC15959, MGC8350.
Background: Histones are basic nuclear proteins that are responsible for the nucleosome
structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146
bp of DNA wrapped around a histone octamer composed of pairs of each of the four core
histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the
interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order
chromatin structures. This gene encodes a member of the histone H1 family. [provided by
RefSeq, Jul 2008]
8971
Q92522
IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200
For Research Use only
Liquid
1 μg/μL
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
50 % Glycerol.
ProClin
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
handled by trained staff only.
-20 °C
Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
12 months