antibodies .- online.com





anti-SYNE1 antibody (AA 51-150) (Alexa Fluor 680)



Overview

| Overview | | |
|-----------------------|---|--|
| Quantity: | 100 μL | |
| Target: | SYNE1 | |
| Binding Specificity: | AA 51-150 | |
| Reactivity: | Rat | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This SYNE1 antibody is conjugated to Alexa Fluor 680 | |
| Application: | Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) | |
| Product Details | | |
| Immunogen: | KLH conjugated synthetic peptide derived from human Nesprin 1 | |
| Isotype: | IgG | |
| Cross-Reactivity: | Rat | |
| Predicted Reactivity: | Human,Mouse,Dog,Cow,Sheep,Horse | |
| Purification: | Purified by Protein A. | |
| Target Details | | |
| Target: | SYNE1 | |
| Alternative Name: | | |

Target Details

| Background: | Synonyms: CPG2, Enaptin, Myne-1, MYNE1, Myocyte nuclear envelope protein 1, Nesprin-1, | | |
|---------------------|--|--|--|
| | Nuclear envelope spectrin repeat protein 1, SCAR8, Synaptic nuclear envelope protein 1, Syne-1 | | |
| | SYNE1, SYNE1_HUMAN, SYNE1B. | | |
| | Background: Multi-isomeric modular protein which forms a linking network between organelles | | |
| | and the actin cytoskeleton to maintain the subcellular spatial organization. Component of SUN- | | |
| | protein-containing multivariate complexes also called LINC complexes which link the | | |
| | nucleoskeleton and cytoskeleton by providing versatile outer nuclear membrane attachment | | |
| | sites for cytoskeletal filaments. Involved in the maintenance of nuclear organization and | | |
| | structural integrity. Connects nuclei to the cytoskeleton by interacting with the nuclear envelope | | |
| | and with F-actin in the cytoplasm. Required for centrosome migration to the apical cell surface | | |
| | during early ciliogenesis. | | |
| Gene ID: | 23345 | | |
| UniProt: | Q8NF91 | | |
| Pathways: | Maintenance of Protein Location | | |
| Application Details | | | |
| Application Notes: | IF(IHC-P) 1:50-200 | | |
| | IF(IHC-F) 1:50-200 | | |
| | IF(ICC) 1:50-200 | | |
| Restrictions: | For Research Use only | | |
| Handling | | | |
| Format: | Liquid | | |
| Concentration: | 1 μg/μL | | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and | | |
| | 50 % Glycerol. | | |
| Preservative: | ProClin | | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be | | |
| | handled by trained staff only. | | |
| Storage: | -20 °C | | |
| | | | |

| | | 1. | |
|----------|-------|------|---|
| \vdash | land | lın | |
| | ıaııu | 1111 | U |
| | | | |

Expiry Date:

12 months