

## Datasheet for ABIN6981424

## anti-MAP3K11 antibody (AA 355-460) (AbBy Fluor® 680)



Go to Product page

()	ve	r\/i		۱۸/
$\cup$	V C	1 / 1	$\overline{}$	٧V

Quantity:	100 μL	
Target:	MAP3K11	
Binding Specificity:	AA 355-460	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MAP3K11 antibody is conjugated to AbBy Fluor® 680	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human MLK3	
Isotype:	IgG	
Specificity:	Due to the similarity of this protein to MLK1 2 and 4, there is a chance that this antibody will cross-react based on homology.	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Cow,Horse	
Purification:	Purified by Protein A.	

## **Target Details**

rarget Details			
Target:	MAP3K11		
Alternative Name:	MLK3 (MAP3K11 Products)		
Background:	Synonyms: MLK3, PTK1, SPRK, MLK-3, MEKK11, Mitogen-activated protein kinase kinase		
	kinase 11, Mixed lineage kinase 3, Src-homology 3 domain-containing proline-rich kinase,		
	MAP3K11		
	Background: Activates the JUN N-terminal pathway. Required for serum-stimulated cell		
	proliferation and for mitogen and cytokine activation of MAPK14 (p38), MAPK3 (ERK) and		
	MAPK8 (JNK1) through phosphorylation and activation of MAP2K4/MKK4 and MAP2K7/MKK7.		
	Plays a role in mitogen-stimulated phosphorylation and activation of BRAF, but does not		
	phosphorylate BRAF directly. Influences microtubule organization during the cell cycle.		
Gene ID:	4296		
UniProt:	Q16584		
Pathways:	MAPK Signaling, Interferon-gamma Pathway		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

$\vdash$	land	lına
	iaria	шц

Expiry Date:

12 months