

Datasheet for ABIN6981479

anti-alpha 2 Antiplasmin antibody (AA 161-260) (AbBy Fluor® 680)



Go to Product page

W	2r	1/1	\triangle	٨/

Quantity:	100 μL	
Target:	alpha 2 Antiplasmin (SERPINF2)	
Binding Specificity:	AA 161-260	
Reactivity:	Human, Rat, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This alpha 2 Antiplasmin antibody is conjugated to AbBy Fluor® 680	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence	
	(Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human SERPINF2/Alpha 2 antiplasmin	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
	Dog,Horse,Rabbit	
Predicted Reactivity:	Dog,Horse,Rabbit	
Predicted Reactivity: Purification:	Dog,Horse,Rabbit Purified by Protein A.	
•		
Purification:		

Target Details

Bacl	//	ro	ıın	٨.
Daci	ĸα	ΙU	uu	u.

Synonyms: A2AP, A2AP_HUMAN, AAP, Alpha 2 antiplasmin, Alpha 2 antiplasmin pigment epithelium derived factor, Alpha 2 AP, ALPHA 2 PI, Alpha 2 plasmin inhibitor, Alpha 2 plasmin inhibitor deficiency, Alpha-2-antiplasmin, Alpha-2-AP, Alpha-2-PI, Alpha-2-plasmin inhibitor, Antiplasmin deficiency, API, Plasmin inhibitor deficiency, PLI, Serine or cysteine peptidase inhibitor, clade F, member 2, Serine Or cysteine peptidase inhibitor, clade F, member 2, isoform CRA_c, Serine or cysteine proteinase inhibitor, clade F alpha 2 antiplasmin pigment epithelium derived factor member 2, Serine Or cysteine proteinase inhibitor, clade F, member 2, Serine or cysteine peptidase inhibitor clade F member 2, Serpin F2, Serpin peptidase inhibitor clade F, Serpin peptidase inhibitor, clade F alpha 2 antiplasmin pigment epithelium derived factor member 2, SERPINF2.

Background: Alpha 2 Antiplasmin is a member of the serpin family of serine protease inhibitors. The protein is a major inhibitor of plasmin, which degrades fibrin and various other proteins. Consequently, the proper function of this gene has a major role in regulating the blood clotting pathway. Mutations in this gene result in alpha-2-plasmin inhibitor deficiency, which is characterized by severe hemorrhagic diathesis. Multiple transcript variants encoding different isoforms have been found for this gene.

Gene ID:	
----------	--

5345

UniProt:

P08697

Pathways:

Regulation of Systemic Arterial Blood Pressure by Hormones

Application Details

Application Notes:

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

Handling

Format: Liquid

Concentration: 1 μg/μL

Buffer:

Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and

50 % Glycerol.

Preservative:

ProClin

Handling

Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months