

## Datasheet for ABIN6981648

## anti-STK24 antibody (pThr178) (AbBy Fluor® 750)



Go to Product page

Overview	
Quantity:	100 μL
Target:	STK24
Binding Specificity:	pThr178
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STK24 antibody is conjugated to AbBy Fluor® 750
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthesised phosphopeptide derived from human MST3 around the phosphorylation site of Thr178
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Cow,Sheep,Horse
Purification:	Purified by Protein A.
Target Details	
Target:	STK24

## **Target Details**

Alternative Name:	MST3 (STK24 Products)
Background:	Synonyms: MST3 (phospho T178), p-MST3 (phospho T178), Kinase responsive to stress 1,
	KRS1, Mammalian STE20 like protein kinase 2, Mammalian sterile 20-like 2, Mess1, MST, MST-
	2, MST2, Mst3, Serine/threonine kinase 3 (STE20 homolog, yeast), Serine/threonine kinase 3
	(Ste20, yeast homolog), Serine/threonine protein kinase 3, Serine/threonine protein kinase Krs1
	STE20 like kinase MST2.
	Background: Serine/threonine-protein kinase that acts on both serine and threonine residues
	and promotes apoptosis in response to stress stimuli and caspase activation. Mediates
	oxidative-stress-induced cell death by modulating phosphorylation of JNK1-JNK2 (MAPK8 and
	MAPK9), p38 (MAPK11, MAPK12, MAPK13 and MAPK14) during oxidative stress. Plays a role in
	a staurosporine-induced caspase-independent apoptotic pathway by regulating the nuclear
	translocation of AIFM1 and ENDOG and the DNase activity associated with ENDOG.
	Phosphorylates STK38L on 'Thr-442' and stimulates its kinase activity. Regulates cellular
	migration with alteration of PTPN12 activity and PXN phosphorylation: phosphorylates PTPN12
	and inhibits its activity and may regulate PXN phosphorylation through PTPN12. May act as a
	key regulator of axon regeneration in the optic nerve and radial nerve.
Gene ID:	8428
UniProt:	Q9Y6E0
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin

## Handling

	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months