# antibodies -online.com





# anti-Plakophilin 4 antibody (AA 1101-1192) (AbBy Fluor® 750)



Go to Product page

$\sim$					
	1/6	⊃r	1//	$\triangle$	٨/

Quantity:	100 μL
Target:	Plakophilin 4 (PKP4)
Binding Specificity:	AA 1101-1192
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Plakophilin 4 antibody is conjugated to AbBy Fluor® 750
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Plakophilin 4
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

## Target Details

Target:	Plakophilin 4 (PKP4)
Alternative Name:	Plakophilin 4 (PKP4 Products)

## **Target Details**

-				
Background:	Synonyms: Catenin 4 , Catenin4 , FLJ31261 , FLJ42243 , p0071 , PKP 4 , PKP4 , PKP4_HUMAN ,			
	Plakophilin-4, Plakophilin4.			
	Background: Armadillo-like proteins are characterized by a series of armadillo repeats, first			
	defined in the Drosophila 'armadillo' gene product, that are typically 42 to 45 amino acids in			
	length. These proteins can be divided into subfamilies based on their number of repeats, their			
	overall sequence similarity, and the dispersion of the repeats throughout their sequences.			
	Members of the p120(ctn)/plakophilin subfamily of Armadillo-like proteins, including CTNND1,			
	CTNND2, PKP1, PKP2, PKP4, and ARVCF. PKP4 may be a component of desmosomal plaque			
	and other adhesion plaques and is thought to be involved in regulating junctional plaque			
	organization and cadherin function. Multiple transcript variants encoding different isoforms			
	have been found for this gene. [provided by RefSeq, Feb 2015]			
Gene ID:	8502			
UniProt:	Q99569			
Pathways:	Cell-Cell Junction Organization			
Application Details				
Application Notes:	IF(IHC-P) 1:50-200			
	IF(IHC-F) 1:50-200			
	IF(ICC) 1:50-200			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 μg/μL			
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and			
	50 % Glycerol.			
Preservative:	ProClin			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be			
	handled by trained staff only.			
Storage:	-20 °C			
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.			

		1.	
$\vdash$	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months