



[Go to Product page](#)

Datasheet for ABIN6981919

## anti-TOP2B antibody (AA 1-100) (AbBy Fluor® 750)

### Overview

Quantity:	100 µL
Target:	TOP2B
Binding Specificity:	AA 1-100
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TOP2B antibody is conjugated to AbBy Fluor® 750
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Topoisomerase II beta
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Dog,Cow,Sheep,Pig,Horse,Rabbit,Chimpanzee
Purification:	Purified by Protein A.

### Target Details

Target:	TOP2B
Alternative Name:	Topoisomerase II beta ( <a href="#">TOP2B Products</a> )

## Target Details

---

**Background:** Synonyms: Antigen MLAA 44, beta isozyme, DNA topoisomerase 2 beta, DNA topoisomerase 2-beta, DNA topoisomerase II 180 kD, DNA topoisomerase II, DNA topoisomerase II beta, DNA topoisomerase II beta isozyme, Top 2, TOP 2B, TOP IIB, Top2 beta, TOP2B, TOP2B\_HUMAN, Top2beta, TOPIIB, Topo II beta, Topoisomerase (DNA) II beta 180 kDa, Topoisomerase (DNA) II beta, Topoisomerase IIb, U937 associated antigen.

Background: Control of topological states of DNA by transient breakage and subsequent rejoining of DNA strands. Topoisomerase II makes double-strand breaks. Indirectly involved in vitamin D-coupled transcription regulation via its association with the WINAC complex, a chromatin-remodeling complex recruited by vitamin D receptor (VDR), which is required for the ligand-bound VDR-mediated transrepression of the CYP27B1 gene.

---

**Gene ID:** 7155

---

**UniProt:** [Q02880](#)

## Application Details

---

**Application Notes:** IF(IHC-P) 1:50-200  
IF(IHC-F) 1:50-200  
IF(ICC) 1:50-200

---

**Restrictions:** For Research Use only

## Handling

---

**Format:** Liquid

---

**Concentration:** 1 µg/µL

---

**Buffer:** Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

---

**Preservative:** ProClin

---

**Precaution of Use:** This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

---

**Storage:** -20 °C

---

**Storage Comment:** Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

---

**Expiry Date:** 12 months