antibodies -online.com





anti-SYNE1 antibody (AA 51-150) (Alexa Fluor 750)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	SYNE1
Binding Specificity:	AA 51-150
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SYNE1 antibody is conjugated to Alexa Fluor 750
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Nesprin 1
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow,Sheep,Horse
Purification:	Purified by Protein A.

Target Details

Target:	SYNE1
Alternative Name:	Nesprin 1 (SYNE1 Products)

Target Details

Background:	Synonyms: CPG2, Enaptin, Myne-1, MYNE1, Myocyte nuclear envelope protein 1, Nesprin-1,
	Nuclear envelope spectrin repeat protein 1, SCAR8, Synaptic nuclear envelope protein 1, Syne-1
	SYNE1, SYNE1_HUMAN, SYNE1B.
	Background: Multi-isomeric modular protein which forms a linking network between organelles
	and the actin cytoskeleton to maintain the subcellular spatial organization. Component of SUN-
	protein-containing multivariate complexes also called LINC complexes which link the
	nucleoskeleton and cytoskeleton by providing versatile outer nuclear membrane attachment
	sites for cytoskeletal filaments. Involved in the maintenance of nuclear organization and
	structural integrity. Connects nuclei to the cytoskeleton by interacting with the nuclear envelope
	and with F-actin in the cytoplasm. Required for centrosome migration to the apical cell surface
	during early ciliogenesis.
Gene ID:	23345
UniProt:	Q8NF91
Pathways:	Maintenance of Protein Location
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months