# antibodies .- online.com





# anti-Importin 8 antibody (AA 1-100) (Alexa Fluor 750)



Go to Product page

( )	11/0	K\ /	iew	1
	$\cup$	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	Importin 8 (IPO8)
Binding Specificity:	AA 1-100
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Importin 8 antibody is conjugated to Alexa Fluor 750
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Importin 8
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Cow,Sheep,Pig
Purification:	Purified by Protein A.

## Target Details

Target:	Importin 8 (IPO8)
Alternative Name:	Importin 8 (IPO8 Products)

## **Target Details**

Background:	Synonyms: FLJ26580, Imp 8, Imp8, Importin-8, Importin8, IPO 8, IPO8, IPO8_HUMAN, Ran
	binding protein 8, RAN BP8, Ran-binding protein 8, RANBP 8, RANBP8.
	Background: Seems to function in nuclear protein import, either by acting as autonomous
	nuclear transport receptor or as an adapter-like protein in association with the importin-beta
	subunit KPNB1. Acting autonomously, is thought to serve itself as receptor for nuclear
	localization signals (NLS) and to promote translocation of import substrates through the
	nuclear pore complex (NPC) by an energy requiring, Ran-dependent mechanism. At the
	nucleoplasmic side of the NPC, Ran binds to importin, the importin/substrate complex
	dissociates and importin is re-exported from the nucleus to the cytoplasm where GTP
	hydrolysis releases Ran. The directionality of nuclear import is thought to be conferred by an
	asymmetric distribution of the GTP- and GDP-bound forms of Ran between the cytoplasm and
	nucleus. In vitro mediates the nuclear import of SRP19.
Gene ID:	10526
UniProt:	015397
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

		1.	
$\vdash$	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months