

Datasheet for ABIN6982353

anti-YWHAE antibody (AA 151-255) (AbBy Fluor® 750)



Go to Product page

	er		

Alternative Name:

Quantity:	100 μL
Target:	YWHAE
Binding Specificity:	AA 151-255
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This YWHAE antibody is conjugated to AbBy Fluor® 750
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human 14-3-3E
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Cow,Sheep,Chicken,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	YWHAE

14-3-3 epsilon/YWHAE (YWHAE Products)

Target Details

-		
Background:	Synonyms: 14-3-3 epsilon, 14 3 3 E, 14 3 3 epsilon, 14 3 3E, 14-3-3 E, 14-3-3 protein epsilon, 14-	
	3-3E, 1433E_HUMAN, KCIP 1, KCIP-1, KCIP1, MDCR, MDS, mitochondrial import stimulation	
	factor L subunit, protein kinase C inhibitor protein-1, Protein kinase C inhibitor protein1, Tyrosine	
	3 monooxygenase/tryptophan 5 monooxygenase activation protein, epsilon polypeptide,	
	tyrosine 3/tryptophan 5 -monooxygenase activation protein epsilon polypeptide, Tyrosine	
	3/tryptophan 5 monooxygenase activation protein epsilon polypeptide, YWHAE.	
	Background: Adapter protein implicated in the regulation of a large spectrum of both general	
	and specialized signaling pathway. Binds to a large number of partners, usually by recognition	
	of a phosphoserine or phosphothreonine motif. Binding generally results in the modulation of	
	the activity of the binding partner.	
Gene ID:	7531	
Pathways:	Neurotrophin Signaling Pathway, Myometrial Relaxation and Contraction, M Phase	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	