antibodies -online.com





anti-HIRA antibody (AA 251-350) (Alexa Fluor 750)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	HIRA	
Binding Specificity:	AA 251-350	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HIRA antibody is conjugated to Alexa Fluor 750	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human HIRA/DGGR1
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	HIRA
Alternative Name:	HIRA (HIRA Products)

Target Details

Background:	Synonyms: DGCR1, DGGR 1, DGGR1, DiGeorge critical region gene 1, HIR, HIR histone cell cycle	
	regulation defective homolog A, HIRA, HIRA protein, HIRA_HUMAN, Protein HIRA, TUP 1, TUP1,	
	TUP1 like enhancer of split protein 1, TUP1-like enhancer of split protein 1, TUPLE 1, TUPLE1.	
	Background: The HIRA gene encodes a histone chaperone that preferentially places the variant	
	histone H3.3 in nucleosomes. Orthologs of this gene in flies, yeast and plants are necessary for	
	the formation of transcriptionally silent heterochomatin. This gene plays an important role in	
	the formation of the senescence-associated heterochromatin foci. These foci likely mediate the	
	irreversible cell cycle changes that occur in senescent cells. It is considered the primary	
	candidate gene in some haploinsufficiency syndromes such as DiGeorge syndrome, and	
	insufficient production of the gene may disrupt normal embryonic development.	
Gene ID:	7290	
Pathways:	Chromatin Binding	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	