



[Go to Product page](#)

Datasheet for ABIN6982666
anti-HUS1 antibody (AA 51-150) (Biotin)

Overview

Quantity:	100 µL
Target:	HUS1
Binding Specificity:	AA 51-150
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HUS1 antibody is conjugated to Biotin
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human HUS1
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Cow,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	HUS1
Alternative Name:	HUS1 (HUS1 Products)

Target Details

Background:	<p>Synonyms: Checkpoint protein HUS1, hHUS1, HUS1 (S. pombe) checkpoint homolog, Hus1, HUS1 checkpoint homolog (S. pombe), HUS1 Checkpoint Protein, HUS1 protein, HUS1+ - like protein, HUS1_HUMAN, Hydroxyurea-sensitive 1, S. pombe, homolog of.</p> <p>Background: The protein encoded by this gene is a component of an evolutionarily conserved, genotoxin-activated checkpoint complex that is involved in the cell cycle arrest in response to DNA damage. This protein forms a heterotrimeric complex with checkpoint proteins RAD9 and RAD1. In response to DNA damage, the trimeric complex interacts with another protein complex consisting of checkpoint protein RAD17 and four small subunits of the replication factor C (RFC), which loads the combined complex onto the chromatin. The DNA damage induced chromatin binding has been shown to depend on the activation of the checkpoint kinase ATM, and is thought to be an early checkpoint signaling event. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Feb 2011]</p>
-------------	--

Gene ID:	3364
----------	------

UniProt:	O60921
----------	------------------------

Application Details

Application Notes:	IHC-P 1:200-400 IHC-F 1:100-500
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months