# antibodies .- online.com





## anti-PURA antibody (AA 131-230) (Biotin)



( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	100 μL
Target:	PURA
Binding Specificity:	AA 131-230
Reactivity:	Mouse, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PURA antibody is conjugated to Biotin
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human PURA
Isotype:	IgG
Cross-Reactivity:	Mouse, Zebrafish (Danio rerio)
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Cat,Rabbit,Guinea Pig
Purification:	Purified by Protein A.

#### **Target Details**

Target:	PURA
Alternative Name:	PURA (PURA Products)

### **Target Details**

Synonyms: PUR ALPHA, PUR1, purA, PURA_HUMAN, PURALPHA, Purine rich element binding protein A, Purine rich single stranded DNA binding protein alpha, Purine-rich single-stranded	
DNA-binding protein alpha, Transcriptional activator protein PUR alpha, Transcriptional activator protein Pur-alpha.	
Background: This gene product is a sequence-specific, single-stranded DNA-binding protein. It	
binds preferentially to the single strand of the purine-rich element termed PUR, which is present	
at origins of replication and in gene flanking regions in a variety of eukaryotes from yeasts	
through humans. Thus, it is implicated in the control of both DNA replication and transcription.	
Deletion of this gene has been associated with myelodysplastic syndrome and acute	
myelogenous leukemia. [provided by RefSeq, Jul 2008]	
5813	
Q00577	
IHC-P 1:200-400	
IHC-F 1:100-500	
For Research Use only	
Liquid	
1 μg/μL	
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
50 % Glycerol.	
ProClin	
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
-20 °C	
Store at -20°C for 12 months.	
12 months	