

Datasheet for ABIN6982967

anti-SMAD7 antibody (AA 1-100) (Biotin)



Go to Product page

_			
()	V/C	rv	٨/

Quantity:	100 μL	
Target:	SMAD7	
Binding Specificity:	AA 1-100	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SMAD7 antibody is conjugated to Biotin	
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MADH7	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Purified by Protein A.	

Target Details

Target:	SMAD7	
Alternative Name:	MADH7 (SMAD7 Products)	
Background:	Synonyms: hSMAD 7, hSMAD7, MAD (mothers against decapentaplegic Drosophila) homolog	

	MAD, Mad homolog 7, MAD mothers against decapentaplegic homolog 7, MADH 7, MADH 8,			
	MADH8, Mothers Against Decapentaplegic Drosophila Homolog of 7, Mothers against			
	decapentaplegic homolog 7, Mothers against decapentaplegic homolog 8, Mothers against			
	DPP homolog 7, Mothers against DPP homolog 8, SMA- AND MAD-RELATED PROTEIN 7, SMAD			
	7, SMAD, SMAD family member 7, SMAD, mothers against DPP homolog 7 (Drosophila), SMAD,			
	mothers against DPP homolog 7, Smad7, SMAD7_HUMAN			
	Background: The protein encoded by this gene is a nuclear protein that binds the E3 ubiquitin			
	ligase SMURF2. Upon binding, this complex translocates to the cytoplasm, where it interacts			
	with TGF-beta receptor type-1 (TGFBR1), leading to the degradation of both the encoded			
	protein and TGFBR1. Expression of this gene is induced by TGFBR1. Variations in this gene are			
	a cause of susceptibility to colorectal cancer type 3 (CRCS3). Several transcript variants			
	encoding different isoforms have been found for this gene. [provided by RefSeq, Jun 2010]			
Gene ID:	4092			
UniProt:	015105			
Pathways:	Interferon-gamma Pathway, Cell-Cell Junction Organization			
Application Details				
Application Notes:	IHC-P 1:200-400			
	IHC-F 1:100-500			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 μg/μL			
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and			
	50 % Glycerol.			
Preservative:	ProClin			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be			
	handled by trained staff only.			
Storage:	-20 °C			
Storage Comment:	Store at -20°C for 12 months.			

	1	l:
-	ココロロ	urnen
	Hand	III IU

Expiry Date:

12 months