# antibodies -online.com





## anti-HS6ST1 antibody (AA 311-411) (Cy3)



( )	11/	IN	/ie	A .
	/ // <del> </del>	۱ ات	/   (−	' \/\/

Quantity:	100 μL	
Target:	HS6ST1	
Binding Specificity:	AA 311-411	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HS6ST1 antibody is conjugated to Cy3	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human HS6ST1
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Horse,Rabbit
Purification:	Purified by Protein A.

#### Target Details

Target:	HS6ST1
Alternative Name:	HS6ST1 (HS6ST1 Products)

#### Target Details

Background:	Synonyms: 60ST 1, 60ST1, DKFZp547H098, FLJ25392, H6 ST1, H6ST 1, H6ST1_HUMAN,		
	Heparan sulfate 6 O sulfotransferase 1, Heparan sulfate 6 sulfotransferase, Heparan sulphate 6		
	O sulphotransferase 1, Heparan-sulfate 6-O-sulfotransferase 1, HS6 ST1, HS6ST 1, HS6ST ,		
	HS6ST-1, HS6ST1, MGC116899, MGC116901.		
	Background: Heparan sulfate structures, which are responsible for executing multiple biologic		
	activities, are generated and regulated by heparan sulfate (HS) biosynthetic enzymes. HS6ST1		
	(heparan sulfate 6-0-sulfotransferase 1), also known as HS6ST, is a 411 amino acid single-pass		
	type II membrane protein that exists as multiple alternatively spliced isoforms and belongs to		
	the sulfotransferase 6 family. Expressed in fetal brain, HS6ST1 functions as a 6-O-sulfation		
	enzyme that specifically catalyzes the transfer of sulfate from 3'-phosphoadenosine 5'-		
	phosphosulfate (PAPS) to the N-sulfoglucosamine residue (GlcNS) HS. HS6ST1 is subject to		
	post-translational N-glycosylation and is encoded by a functional gene on human chromosome		
	2 and a pseudogene on human chromosome 1 (known as LOC728969).		
Gene ID:	9394		
UniProt:	060243		
Pathways:	Glycosaminoglycan Metabolic Process		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		

### Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months