antibodies .- online.com





anti-VPS4B antibody (AA 301-400) (Cy3)



\sim			
	N/P	r\/I	i⊢₩

Quantity:	100 μL	
Target:	VPS4B (vps4b)	
Binding Specificity:	AA 301-400	
Reactivity:	Human, Mouse, Fish	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This VPS4B antibody is conjugated to Cy3	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human VPS4B	
Isotype:	IgG	
Cross-Reactivity:	Fish, Human, Mouse	
Predicted Reactivity:	Rat,Cow,Pig	
Purification:	Purified by Protein A.	

Target Details

Target:	VPS4B (vps4b)	
Alternative Name:	VPS4B (vps4b Products)	

Target Details

Background:

Synonyms: 8030489C12Rik, Cell migration inducing 1, Cell migration-inducing gene 1 protein, MGC116271, MIG1, Protein SKD1, Skd1, SKD1B, Suppressor of K(+) transport growth defect 1, Suppressor of K+ transport defect 1, Vacuolar protein sorting 4 homolog B (S. cerevisiae), Vacuolar protein sorting 4 homolog B, Vacuolar protein sorting 4b, Vacuolar protein sorting-associated protein 4B, Vacuolar protein sorting-associating protein 4B, VPS42, VPS42, VPS4b, VPS4B_HUMAN.

Background: Involved in late steps of the endosomal multivesicular bodies (MVB) pathway. Recognizes membrane-associated ESCRT-III assemblies and catalyzes their disassembly, possibly in combination with membrane fission. Redistributes the ESCRT-III components to the cytoplasm for further rounds of MVB sorting. MVBs contain intraluminal vesicles (ILVs) that are generated by invagination and scission from the limiting membrane of the endosome and mostly are delivered to lysosomes enabling degradation of membrane proteins, such as stimulated growth factor receptors, lysosomal enzymes and lipids. In conjunction with the ESCRT machinery also appears to function in topologically equivalent membrane fission events, such as the terminal stages of cytokinesis and enveloped virus budding (HIV-1 and other lentiviruses).

Gene II):
---------	----

9525

UniProt:

075351

Pathways:

Microtubule Dynamics, CXCR4-mediated Signaling Events

Application Details

Application Notes:

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

Handling

Format:

Liquid

Concentration:

 $1 \mu g/\mu L$

Buffer:

Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and

50 % Glycerol.

Preservative:

ProClin

Handling

Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months