# antibodies -online.com





Datasheet for ABIN6983490

# anti-METTL14 antibody (AA 21-120) (Cy3)



$\sim$	
( )\/\	rview
$\cup$	

Quantity:	100 μL
Target:	METTL14
Binding Specificity:	AA 21-120
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This METTL14 antibody is conjugated to Cy3
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from mouse Mettl14
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

## **Target Details**

Target:	METTL14
Alternative Name:	Mettl14 (METTL14 Products)

## **Target Details**

Background:	Synonyms: mKIAA1627, G430022H21Rik, N6-adenosine-methyltransferase subunit METTL14,
	Methyltransferase-like protein 14, Mettl14, Kiaa1627
	Background: N6-methyltransferase that methylates adenosine residues of some mRNAs and
	acts as a regulator of the circadian clock and differentiation of embryonic stem cells. N6-
	methyladenosine (m6A), which takes place at the 5'-[AG]GAC-3' consensus sites of some
	mRNAs, plays a role in the efficiency of mRNA splicing, processing and mRNA stability. M6A
	regulates the length of the circadian clock: acts as a early pace-setter in the circadian loop (By
	similarity). M6A also acts as a regulator of mRNA stability: in embryonic stem cells (ESCs), m6A
	methylation of mRNAs encoding key naive pluripotency-promoting transcripts results in
	transcript destabilization (PubMed:24394384).
Gene ID:	210529
UniProt:	Q3UIK4
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months