

Datasheet for ABIN6983818

anti-NEK6 antibody (AA 81-180) (Cy3)



Overview

Overview	
Quantity:	100 μL
Target:	NEK6
Binding Specificity:	AA 81-180
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NEK6 antibody is conjugated to Cy3
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	

Immunogen:	KLH conjugated synthetic peptide derived from human NEK6	
Isotype:	IgG	
Cross-Reactivity:	Rat	
Predicted Reactivity:	Human,Mouse,Dog,Cow,Sheep,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	NEK6
Alternative Name:	NEK6 (NEK6 Products)

Target Details

Background:	Synonyms: Highly similar to cell cycle protein kinase CDC5/MSD2, NEK6, NEK6_HUMAN, Never	
	in mitosis A-related kinase 6, NIMA (Never In Mitosis Gene A) Related Kinase 6, NimA related	
	protein kinase 6, NimA-related protein kinase 6, Protein kinase SID6 1512, Protein kinase SID6-	
	1512, Putative serine threonine protein kinase, Serine/threonine protein kinase Nek6,	
	Serine/threonine-protein kinase Nek6, SID61512.	
	Background: Protein kinase which plays an important role in mitotic cell cycle progression.	
	Required for chromosome segregation at metaphase-anaphase transition, robust mitotic	
	spindle formation and cytokinesis. Phosphorylates ATF4, CIR1, PTN, RAD26L, RBBP6, RPS7,	
	RPS6KB1, TRIP4, STAT3 and histones H1 and H3. Phosphorylates KIF11 to promote mitotic	
	spindle formation. Involved in G2/M phase cell cycle arrest induced by DNA damage. Inhibition	
	of activity results in apoptosis. May contribute to tumorigenesis by suppressing p53/TP53-	
	induced cancer cell senescence.	
Gene ID:	10783	
UniProt:	Q9HC98	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

\vdash	land	lına
	iaria	шц

Expiry Date:

12 months