

Datasheet for ABIN6983963

anti-PDE3B antibody (AA 451-550) (Cy3)



	ve	rvi	0	W
\cup	V C	I V I	\sim	V V

Overview	
Quantity:	100 μL
Target:	PDE3B
Binding Specificity:	AA 451-550
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PDE3B antibody is conjugated to Cy3
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	

Immunogen:	KLH conjugated synthetic peptide derived from human PDE3B
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity: Mouse,Rat,Dog,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.

Target Details

Target:	PDE3B
Alternative Name:	PDE3B (PDE3B Products)

Target Details

-		
Background:	Synonyms: 5"-cyclic phosphodiesterase B, Adipocyte cAMP phosphodiesterase cGMP inhibited,	
	Al847709, cAMP Phosphodiesterase, adipocyte, cGMP-inhibited, CGI-PDE B, CGIP1, CGIPDE B,	
	CGIPDE1, cGMP inhibited 3 5 cyclic phosphodiesterase B, CGMP inhibited cAMP	
	phophodiesterase, cGMP-inhibited 3", Cyclic GMP inhibited phosphodiesterase B, Cyclic GMP-	
	inhibited phosphodiesterase B, Cyclic nucleotide phosphodiesterase, HcGIP1, HcGIP1, rat,	
	homolog of, Pde3b, PDE3B_HUMAN, Phosphodiesterase 3B cGMP inhibited.	
	Background: PDE3B is found in lymphocytes. The PDE7A1 (HCP1) isozyme and the PDE7A2	
	proteins, alternate splice products of PDE7A, are highly expressed in skeletal muscle. PDE7B is	
	most highly expressed in pancreas. The PDE family contains proteins that serve tissue-specific	
	roles in regulation of lipolysis, glycogenolysis, myocardial contractility, and smooth muscle	
	relaxation.	
Gene ID:	5140	
UniProt:	Q13370	
Pathways:	Negative Regulation of Hormone Secretion, Carbohydrate Homeostasis, cAMP Metabolic	
	Process	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months