# antibodies -online.com





# anti-SYNE1 antibody (AA 51-150) (Cy5)



#### Overview

Quantity:	100 μL	
Target:	SYNE1	
Binding Specificity:	AA 51-150	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SYNE1 antibody is conjugated to Cy5	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Nesprin 1
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow,Sheep,Horse
Purification:	Purified by Protein A.

## Target Details

Target:	SYNE1
Alternative Name:	Nesprin 1 (SYNE1 Products)

## Target Details

Background:	Synonyms: CPG2, Enaptin, Myne-1, MYNE1, Myocyte nuclear envelope protein 1, Nesprin-1,	
	Nuclear envelope spectrin repeat protein 1, SCAR8, Synaptic nuclear envelope protein 1, Syne-1,	
	SYNE1, SYNE1_HUMAN, SYNE1B.	
	Background: Multi-isomeric modular protein which forms a linking network between organelles	
	and the actin cytoskeleton to maintain the subcellular spatial organization. Component of SUN-	
	protein-containing multivariate complexes also called LINC complexes which link the	
	nucleoskeleton and cytoskeleton by providing versatile outer nuclear membrane attachment	
	sites for cytoskeletal filaments. Involved in the maintenance of nuclear organization and	
	structural integrity. Connects nuclei to the cytoskeleton by interacting with the nuclear envelope	
	and with F-actin in the cytoplasm. Required for centrosome migration to the apical cell surface	
	during early ciliogenesis.	
Gene ID:	23345	
UniProt:	Q8NF91	
Pathways:	Maintenance of Protein Location	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
eterage.		

	lI	1:
-	เวทก	111111
	land	HHU

Expiry Date:

12 months