# antibodies .- online.com





## anti-EEFSEC antibody (AA 21-120) (Cy5.5)



Go to Product page

( )	11/	IN	/ie	A .
	/ // <del> </del>	۱ ات	/   (−	' \/\/

Quantity:	100 μL
Target:	EEFSEC
Binding Specificity:	AA 21-120
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EEFSEC antibody is conjugated to Cy5.5
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human EEFSEC
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow,Rabbit
Purification:	Purified by Protein A.

### **Target Details**

Target:	EEFSEC
Alternative Name:	EEFSEC (EEFSEC Products)

#### **Target Details**

Larget Details			
Background:	Synonyms: EFSEC, SELB_HUMAN_ Elongation factor for selenoprotein translation, Elongation		
	factor sec, Eukaryotic elongation factor, selenocysteine tRNA specific, SELB, Selenocysteine		
	specific elongation factor.		
	Background: EEFSEC is a 596 amino acid protein that localizes to both the nucleus and the		
	cytoplasm and belongs to the GTP-binding elongation factor family. Functioning as a		
	translation factor, SELB binds GTP and GDP and is necessary for the incorporation of		
	selenocysteine into target proteins. The gene encoding SELB maps to human chromosome 3,		
	which houses over 1,100 genes, including a chemokine receptor (CKR) gene cluster and a		
	variety of human cancer-related gene loci. Key tumor suppressing genes on chromosome 3		
	include those that encode the apoptosis mediator RASSF1, the cell migration regulator HYAL1		
	and the angiogenesis suppressor SEMA3B. Marfan Syndrome, porphyria, von Hippel-Lindau		
	syndrome, osteogenesis imperfecta and Charcot-Marie-Tooth Disease are a few of the		
	numerous genetic diseases associated with chromosome 3.		
Gene ID:	60678		
UniProt:	P57772		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

handled by trained staff only.

-20 °C

Storage:

Storage Comment:

		1.	
$\vdash$	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months