

## Datasheet for ABIN6985604

## anti-SMAD7 antibody (AA 1-100) (Cy5.5)



_					
	1//	r	Vİ	$\triangle$	۸/
	V		VI		/ V

Overview	
Quantity:	100 μL
Target:	SMAD7
Binding Specificity:	AA 1-100
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SMAD7 antibody is conjugated to Cy5.5
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	

Immunogen:	KLH conjugated synthetic peptide derived from human MADH7
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

## **Target Details**

Target:	SMAD7	
Alternative Name:	MADH7 (SMAD7 Products)	
Background:	ackground: Synonyms: hSMAD 7, hSMAD7, MAD (mothers against decapentaplegic Drosophila) home	

	MAD, Mad homolog 7, MAD mothers against decapentaplegic homolog 7, MADH 7, MADH 8,
	MADH8, Mothers Against Decapentaplegic Drosophila Homolog of 7, Mothers against
	decapentaplegic homolog 7, Mothers against decapentaplegic homolog 8, Mothers against
	DPP homolog 7, Mothers against DPP homolog 8, SMA- AND MAD-RELATED PROTEIN 7, SMAD
	7, SMAD, SMAD family member 7, SMAD, mothers against DPP homolog 7 (Drosophila), SMAD,
	mothers against DPP homolog 7, Smad7, SMAD7_HUMAN
	Background: The protein encoded by this gene is a nuclear protein that binds the E3 ubiquitin
	ligase SMURF2. Upon binding, this complex translocates to the cytoplasm, where it interacts
	with TGF-beta receptor type-1 (TGFBR1), leading to the degradation of both the encoded
	protein and TGFBR1. Expression of this gene is induced by TGFBR1. Variations in this gene are
	a cause of susceptibility to colorectal cancer type 3 (CRCS3). Several transcript variants
	encoding different isoforms have been found for this gene. [provided by RefSeq, Jun 2010]
Gene ID:	4092
UniProt:	015105
Pathways:	Interferon-gamma Pathway, Cell-Cell Junction Organization
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

## Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months