antibodies -online.com





anti-PTPN21 antibody (AA 171-270) (Cy7)



Go to Product page

\sim				
	11/6	٦r١	/10	۱۸.

Quantity:	100 μL	
Target:	PTPN21	
Binding Specificity:	AA 171-270	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PTPN21 antibody is conjugated to Cy7	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PTPD1	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Dog,Cow,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	PTPN21
Alternative Name:	PTPD1 (PTPN21 Products)

Target Details

Pookground:	Cynonyma: Drotain tyrogina phagabataga D1. Drotain tyrogina phagabataga nan ragartar tyrogina		
Background:	Synonyms: Protein tyrosine phosphatase D1, Protein tyrosine phosphatase non receptor type 21, PTPN 21, PTPN21, PTN21_HUMAN, PTPNL, PTPRL10, Tyrosine protein phosphatase non		
	receptor type 21.		
	Background: The protein encoded by this gene is a member of the protein tyrosine phosphatase		
	(PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular		
	processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation.		
	This PTP contains an N-terminal domain, similar to cytoskeletal- associated proteins including band 4.1, ezrin, merlin, and radixin. This PTP was shown to specially interact with BMX/ETK, a member of Tec tyrosine kinase family characterized by a multimodular structures including PH,		
	SH3, and SH2 domains. The interaction of this PTP with BMX kinase was found to increase the		
	activation of STAT3, but not STAT2 kinase. Studies of the similar gene in mice suggested the		
	possible roles of this PTP in liver regeneration and spermatogenesis. [provided by RefSeq, Jul		
	2008]		
Gene ID:	11099		
UniProt:	Q16825		
Application Details			
	IE(IIIO D) 1.F0 200		
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
- 10301 VALIVE.			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		

\vdash	land	lına
1	iariu	my

Expiry Date:

12 months