

Datasheet for ABIN6986631

**anti-MAP3K9 antibody (AA 451-550) (FITC)**[Go to Product page](#)

## Overview

|                      |                                                                                                                                |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Quantity:            | 100 µL                                                                                                                         |
| Target:              | MAP3K9                                                                                                                         |
| Binding Specificity: | AA 451-550                                                                                                                     |
| Reactivity:          | Human, Mouse                                                                                                                   |
| Host:                | Rabbit                                                                                                                         |
| Clonality:           | Polyclonal                                                                                                                     |
| Conjugate:           | This MAP3K9 antibody is conjugated to FITC                                                                                     |
| Application:         | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

## Product Details

|                       |                                                            |
|-----------------------|------------------------------------------------------------|
| Immunogen:            | KLH conjugated synthetic peptide derived from human MAP3K9 |
| Isotype:              | IgG                                                        |
| Cross-Reactivity:     | Human, Mouse                                               |
| Predicted Reactivity: | Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit                         |
| Purification:         | Purified by Protein A.                                     |

## Target Details

|                   |                                            |
|-------------------|--------------------------------------------|
| Target:           | MAP3K9                                     |
| Alternative Name: | MAP3K9 ( <a href="#">MAP3K9 Products</a> ) |

## Target Details

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Background: | <p>Synonyms: MLK1, M3K9_HUMAN, Map3k9, MEKK9, Mitogen activated protein kinase kinase kinase 9, Mitogen-activated protein kinase kinase kinase 9, Mixed lineage kinase 1 (tyr and ser/thr specificity), Mixed lineage kinase 1, PRKE1.</p> <p>Background: Mixed lineage kinases are a family of protein kinases sharing two leucine zipper-like motifs, which are known to mediate protein dimerization, and a kinase domain whose primary structure is similar to both the tyrosine-specific and the serine/threonine-specific kinase classes. Members of the mixed-lineage kinase (MLK) family include MLK1, MLK2, MLK3 and dual leucine zipper kinase, also designated DLK. MLKs are expressed in neuronal cells where they are likely to interact between Rac1/Cdc42, MKK4 and MKK7 in death signaling. The human MLK1 gene maps to chromosome 14q24.3-q31 and is expressed in epithelial tumor cell lines of the colon, breast, and esophagus. The human MLK2 gene maps to chromosome 19q13.2. and encodes a predicted 954 amino acid, src homology 3 (SH3) domain-containing protein. The human MLK3 gene maps to chromosome 11q13.1-13.3 and encodes a 847 amino acid, SH3 domain- and proline rich region-containing protein. Apoptosis mechanisms rely on MLKs as an upstream intermediate of mitochondrial cytochrome c release and caspase activation.</p> |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|          |      |
|----------|------|
| Gene ID: | 4293 |
|----------|------|

|          |                        |
|----------|------------------------|
| UniProt: | <a href="#">P80192</a> |
|----------|------------------------|

## Application Details

|                    |                                                              |
|--------------------|--------------------------------------------------------------|
| Application Notes: | IF(IHC-P) 1:50-200<br>IF(IHC-F) 1:50-200<br>IF(ICC) 1:50-200 |
|--------------------|--------------------------------------------------------------|

|               |                       |
|---------------|-----------------------|
| Restrictions: | For Research Use only |
|---------------|-----------------------|

## Handling

|                    |                                                                                                             |
|--------------------|-------------------------------------------------------------------------------------------------------------|
| Format:            | Liquid                                                                                                      |
| Concentration:     | 1 µg/µL                                                                                                     |
| Buffer:            | Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative:      | ProClin                                                                                                     |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be                         |

Handling

---

|                  |                                                                                   |
|------------------|-----------------------------------------------------------------------------------|
|                  | handled by trained staff only.                                                    |
| Storage:         | -20 °C                                                                            |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date:     | 12 months                                                                         |