

Datasheet for ABIN6986829

anti-FKBP1B antibody (AA 21-100) (FITC)[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	FKBP1B
Binding Specificity:	AA 21-100
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FKBP1B antibody is conjugated to FITC
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FKBP1B
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Cow
Purification:	Purified by Protein A.

Target Details

Target:	FKBP1B
Alternative Name:	FKBP1B (FKBP1B Products)

Target Details

Background:	Synonyms: 12.6 kDa FK506-binding protein, 12.6 kDa FKBP, Calstabin 2, FK506 binding protein 1 like, FK506 binding protein 12.6, FK506 binding protein 1B 12.6 kDa, FK506 binding protein 1B, FK506-binding protein 1B, FKB1B_HUMAN, FKBP 12.6, FKBP 1B, FKBP 1L, FKBP 9, FKBP-12.6, FKBP-1B, FKBP12.6, Fkbp1b, FKBP1L, FKBP9, h FKBP 12, h-FKBP-12, Immunophilin FKBP12.6, OTK 4, OTK4, Peptidyl prolyl cis trans isomerase 1B, Peptidyl prolyl cis trans isomerase, Peptidyl-prolyl cis-trans isomerase FKBP1B, PKBP 1L, PKBP1L, PPlase 1B, PPlase, PPlase FKBP1B, Rotamase 1B, Rotamase Background: Associates with the ryanodine receptor (RYR-2) in cardiac muscle sarcoplasmic reticulum and may play a unique physiological role in excitation-contraction coupling in cardiac muscle. There are four molecules of FKBP12.6 per heart muscle RYR. Has the potential to contribute to the immunosuppressive and toxic effects of FK506 and rapamycin. PPlases accelerate the folding of proteins. It catalyzes the cis-trans isomerization of proline imidic peptide bonds in oligopeptides.
-------------	---

Gene ID:	2281
UniProt:	P68106
Pathways:	Hormone Transport , Negative Regulation of Hormone Secretion , Negative Regulation of Transporter Activity

Application Details

Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling

Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months