

Datasheet for ABIN6987017
anti-MED18 antibody (AA 31-130) (FITC)



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	MED18
Binding Specificity:	AA 31-130
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MED18 antibody is conjugated to FITC
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MED18
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	MED18
Alternative Name:	MED18 (MED18 Products)

Target Details

Background:	Synonyms: FLJ20045, hMED 18, hMED18, Human Mediator of RNA Polymerase II Transcription, MED 18, med18, MED18_HUMAN, Mediator complex subunit 18, Mediator of RNA polymerase II transcription subunit 18, Mediator of RNA polymerase II transcription subunit 18 homolog, OTTHUMP00000003645, p28b, TRAP/mediator complex subunit p28b. Background: MED18 is a component of the Mediator complex, which is a coactivator for DNA-binding factors that activate transcription via RNA polymerase II (Sato et al., 2003 [PubMed 12584197]).[supplied by OMIM, Oct 2008]
Gene ID:	54797
UniProt:	Q9BUE0
Pathways:	Regulation of Lipid Metabolism by PPARalpha

Application Details

Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months