

Datasheet for ABIN6987167

anti-GLRB antibody (AA 51-150) (FITC)



_				
()	1//	rv	IO	Λ/
()	VC	. I V	1	v v

Alternative Name:

Quantity:	100 μL
Target:	GLRB
Binding Specificity:	AA 51-150
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GLRB antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Product Details Immunogen:	KLH conjugated synthetic peptide derived from human GLRB
	KLH conjugated synthetic peptide derived from human GLRB
Immunogen:	
Immunogen: Isotype:	IgG
Immunogen: Isotype: Cross-Reactivity:	IgG Human, Mouse, Rat
Immunogen: Isotype: Cross-Reactivity: Predicted Reactivity:	lgG Human, Mouse, Rat Dog,Cow,Sheep,Pig,Horse,Rabbit

GLRB (GLRB Products)

Target Details

_		
Background:	Synonyms: Glycine receptor subunit beta, GLRB, Glycine receptor 58 kDa subunit	
	Background: Glycine receptors are ligand-gated chloride channels. GLRB does not form ligand-	
	gated ion channels by itself, but is part of heteromeric ligand-gated chloride channels. Channel	
	opening is triggered by extracellular glycine (PubMed:8717357, PubMed:15302677,	
	PubMed:16144831, PubMed:22715885, PubMed:25445488, PubMed:11929858,	
	PubMed:23238346). Heteropentameric channels composed of GLRB and GLRA1 are activated	
	by lower glycine levels than homopentameric GLRA1 (PubMed:8717357). Plays an important	
	role in the down-regulation of neuronal excitability (PubMed:11929858, PubMed:23238346).	
	Contributes to the generation of inhibitory postsynaptic currents (PubMed:25445488).	
Gene ID:	2743	
UniProt:	P48167	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	