

Datasheet for ABIN6987233

anti-MAGMAS antibody (AA 31-125) (FITC)[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	MAGMAS (PAM16)
Binding Specificity:	AA 31-125
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MAGMAS antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PAM16
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	MAGMAS (PAM16)
Alternative Name:	PAM16 (PAM16 Products)

Target Details

Background:	Synonyms: CGI-136, MAGMAS, Magmas like protein, Mitochondria associated protein involved in granulocyte macrophage colony stimulating factor signal transduction, Mitochondria-associated granulocyte macrophage CSF-signaling molecule, Mitochondrial import inner membrane translocase subunit TIM16, PAM16, Presequence translocase-associated motor 16 homolog (<i>S. cerevisiae</i>), Presequence translocated-associated motor subunit PAM16, TIM16, TIM16_HUMAN, TIMM16. Background: This gene encodes a mitochondrial protein involved in granulocyte-macrophage colony-stimulating factor (GM-CSF) signaling. This protein also plays a role in the import of nuclear-encoded mitochondrial proteins into the mitochondrial matrix and may be important in reactive oxygen species (ROS) homeostasis. Mutations in this gene cause Megarbane-Dagher-Melike type spondylometaphyseal dysplasia, an early lethal skeletal dysplasia characterized by short stature, developmental delay and other skeletal abnormalities. [provided by RefSeq, May 2017]
-------------	---

Gene ID: 51025

UniProt: [Q9Y3D7](#)

Application Details

Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Handling

Expiry Date: 12 months