

Datasheet for ABIN6987710
anti-TOPORS antibody (AA 21-120) (HRP)



[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	TOPORS
Binding Specificity:	AA 21-120
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TOPORS antibody is conjugated to HRP
Application:	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human p53 BP3
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	TOPORS
Alternative Name:	p53 BP3 (TOPORS Products)

Target Details

Background:	Synonyms: AW105885, E3 ubiquitin protein ligase Topors, E3 ubiquitin-protein ligase Topors, LUN, p53 binding protein 3, p53 BP3/LUN, p53-binding protein 3, p53BP3, p53BP3/LUN, Retinitis pigmentosa 31, RP31, SUMO1 protein E3 ligase Topors, SUMO1-protein E3 ligase Topors, Topoisomerase I binding arginine/serine rich, Topoisomerase I binding arginine/serine rich protein, Topoisomerase I binding protein, Topoisomerase I binding RING finger protein, Topoisomerase I-binding arginine/serine-rich protein, Topoisomerase I-binding RING finger protein, Topoisomerase I-binding RS protein, TOPORS, TOPRS_HUMAN, TP53BPL, Tumor protein p53 binding protein, Tumor suppressor p53 binding protein 3, Tumor suppressor p53-binding protein 3. Background: Functions as an E3 ubiquitin-protein ligase and as an E3 SUMO1-protein ligase. Probable tumor suppressor involved in cell growth, cell proliferation and apoptosis that regulates p53/TP53 stability through ubiquitin-dependent degradation. May regulate chromatin modification through sumoylation of several chromatin modification-associated proteins. May be involved in DNA damage-induced cell death through IKBKE sumoylation.
Gene ID:	10210
UniProt:	Q9NS56
Pathways:	Maintenance of Protein Location

Application Details

Application Notes:	IHC-P 1:200-400 IHC-F 1:100-500
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months