

Datasheet for ABIN6987793

anti-GIPC1 antibody (AA 171-270) (HRP)



Go to Product page

_						
	V	\triangle	r۱	/1	\triangle	Λ/
	' V '		ΙV			v v

Quantity:	100 μL
Target:	GIPC1
Binding Specificity:	AA 171-270
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GIPC1 antibody is conjugated to HRP
Application:	Western Blotting (WB)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GIPC1?
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Cow,Sheep
Purification:	Purified by Protein A.

Target Details

Target:	GIPC1
Alternative Name:	GIPC1 (GIPC1 Products)
Background: Synonyms: C190RF3, Chromosome 19 open reading frame 3, GIPC, GLUT1 C termin	

protein, GLUT1CBP, IGF 1 receptor interacting protein 1, IIP 1, IIP1, NIP, PDZ domain-containing protein GIPC1, Regulator of G protein signalling 19 interacting protein 1, RGS19 interacting protein 1, RGS19IP1, SEMCAP, SYNECTIIN, Tax interaction protein 2, TIP 2, GIPC1_HUMAN.

Background: GIPC, for GAIP interacting protein at the C terminus (also designated SEMCAP-1 or synectin), is a PDZ domain containing protein that interacts with RGS-GAIP, a GTPase-activating protein (GAP) for G(a i) subunits. GIPC was also identified as TIP-2, a protein that interacts with the viral oncoprotein TAX, which transactivates viral and cellular promoters through interactions with various transcription factors. PDZ domain-containing proteins are primarily localized to cell-cell junctions in epithelial cells and neurons where they coordinate the assembly of multiprotein complexes. GIPC specifically localizes to clusters of vesicles near the plasma membrane and participates in G protein-coupled signaling pathway involved in regulating clathrin-coated vesicular trafficking. GIPC also associates with membrane bound semaphorin F (M-SemF), which is involved in neuronal axon growth, and it appears to regulate the subcellular distribution of M-SemF in the brain.

Gene ID: 10755
UniProt: 014908

Pathways: Dicarboxylic Acid Transport

Application Details

Application Notes: WB 1:300-5000

Restrictions: For Research Use only

Handling

 Format:
 Liquid

 Concentration:
 1 μg/μL

 Buffer:
 Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

 Preservative:
 ProClin

 Precaution of Use:
 This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

 Storage:
 -20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months