

## Datasheet for ABIN6987860

# anti-HAND2 antibody (AA 141-217) (HRP)



()	ve	r\/i	۱۸/
$\cup$	V C	1 / 1	 v v

Quantity:	100 μL
Target:	HAND2
Binding Specificity:	AA 141-217
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HAND2 antibody is conjugated to HRP
Application:	Western Blotting (WB)

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human HAND2
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig,Rabbit
Purification:	Purified by Protein A.

### Target Details

Target:	HAND2
Alternative Name:	HAND2 (HAND2 Products)
Background: Synonyms: DHAND 2, dHAND, DHAND2, Ehand 2, Ehand2, FLJ16260, HAND 2, Hand2,	

autonomic nervous system and neural crest derivatives-expressed protein 2, heart, Basic helix loop helix transcription factor HAND2, bHLHa26, Class A basic helix-loop-helix protein 26, Deciduum, Deciduum heart autonomic nervous system and neural crest derivatives expressed protein 2 antibody HAND2\_HUMAN, Heart and neural crest derivatives expressed 2, Heart and neural crest derivatives expressed protein 2, heart and neural crest derivatives expressed transcript 2, Heart- and neural crest derivatives-expressed protein 2, Hed, Highly similar to dHAND M musculus, MGC125303, MGC125304, Th 2, Th2, Thing 2, Thing2.

Background: Essential for cardiac morphogenesis, particularly for the formation of the right ventricle and of the aortic arch arteries. Required for vascular development and regulation of angiogenesis, possibly through a VEGF signaling pathway. Plays also an important role in limb development, particularly in the establishment of anterior-posterior polarization, acting as an upstream regulator of sonic hedgehog (SHH) induction in the limb bud. Is involved in the development of branchial arches, which give rise to unique structures in the head and neck.

Binds DNA on E-box consensus sequence 5'-CANNTG-3' (By similarity).

 Gene ID:
 9464

 UniProt:
 P61296

Pathways: Tube Formation, Feeding Behaviour

#### **Application Details**

Application Notes: WB 1:300-5000

Restrictions: For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C

### Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months