

Datasheet for ABIN6988170

anti-BAD antibody (pSer128) (PE)



Go to Product page

| Overview | |
|----------------------|---|
| Quantity: | 100 μĽ |
| Target: | BAD |
| Binding Specificity: | pSer128 |
| Reactivity: | Human, Mouse, Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This BAD antibody is conjugated to PE |
| Application: | Western Blotting (WB), Flow Cytometry (FACS) |
| Product Details | |
| Immunogen: | KLH conjugated synthetic phosphopeptide derived from mouse BAD around the |
| | phosphorylation site of Ser128 |
| Isotype: | IgG |
| Specificity: | This phophorylation site is homologous to that of Ser129 in Rat. |
| Cross-Reactivity: | Human, Mouse, Rat |
| Purification: | Purified by Protein A. |
| Target Details | |
| Target: | BAD |
| Alternative Name: | BAD (BAD Products) |

Target Details

| Background: | Synonyms: Bbc2, Al325008, Bcl2-associated agonist of cell death, BAD, Bcl-2-binding |
|-------------|---|
| | component 6, Bcl-xL/Bcl-2-associated death promoter, Bcl2 antagonist of cell death, Bbc6 |
| | Background: Promotes cell death. Successfully competes for the binding to Bcl-X(L), Bcl-2 and |
| | Bcl-W, thereby affecting the level of heterodimerization of these proteins with BAX. Can reverse |
| | the death repressor activity of Bcl-X(L), but not that of Bcl-2. Appears to act as a link between |
| | growth factor receptor signaling and the apoptotic pathways. |
| Gene ID: | 12015 |
| UniProt: | Q61337 |
| Pathways: | MAPK Signaling, PI3K-Akt Signaling, RTK Signaling, Apoptosis, Fc-epsilon Receptor Signaling |
| | Pathway, Positive Regulation of Peptide Hormone Secretion, Carbohydrate Homeostasis, |
| | Positive Regulation of Endopeptidase Activity, Regulation of Carbohydrate Metabolic Process, |
| | Hepatitis C, CXCR4-mediated Signaling Events |

Application Details

| Approache. Detaile | |
|--------------------|--|
| Application Notes: | FCM 1:20-100 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |