

Datasheet for ABIN6988263

anti-TTC8 antibody (AA 251-330) (PE)



\sim			
()\	/ e	rVI	iew

Overview	
Quantity:	100 μL
Target:	TTC8
Binding Specificity:	AA 251-330
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TTC8 antibody is conjugated to PE
Application:	Western Blotting (WB), Flow Cytometry (FACS)
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human BBS8
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	TTC8
Alternative Name:	BBS8/TTC8 (TTC8 Products)
Background:	Synonyms: Bardet Biedl syndrome 8 protein, Bardet Biedl syndrome type 8, Bardet-Biedl

syndrome 8 protein, BBS8, Tetratricopeptide repeat domain 8, Tetratricopeptide repeat protein 8, TPR repeat protein 8, TTC 8, TTC8, TTC8_HUMAN.

Background: Bardet-Biedl syndrome (BBS) is a pleiotropic genetic disorder characterized by obesity, photoreceptor degeneration, polydactyly, hypogenitalism, renal abnormalities, and developmental delay. BBS patients also have an increased risk of developing diabetes, hypertension, and congenital heart defects. BBS is a heterogeneous disorder mapping to eight genetic loci and encoding eight proteins, BBS1-BBS8. Five BBS proteins encode basal body or cilia proteins, suggesting that BBS is a ciliary dysfunction disorder. BBS2 contains two overlapping genes: BBS2L1 and BBS2L2. BBSL1 was re-named BBS7, whereas BBS2L2 independently funcitons as BBS1. BBS7 contains 672 amino acids and is expressed at low to moderate levels in most human tissues.

Pathways:

Preservative:

Storage:

Hedgehog Signaling

ProClin

Application Details

Application Notes:	FCM 1:20-100
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Concentration: 1 μg/μL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and

50 % Glycerol.

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

-20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months