

## Datasheet for ABIN6988341

## anti-Glutaredoxin 2 antibody (AA 101-164) (PE)



Go to Product page

0				

Overview		
Quantity:	100 μL	
Target:	Glutaredoxin 2 (GRX2)	
Binding Specificity:	AA 101-164	
Reactivity:	Human, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Glutaredoxin 2 antibody is conjugated to PE	
Application:	Western Blotting (WB), Flow Cytometry (FACS)	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human Glutaredoxin 2	
Immunogen:	KLH conjugated synthetic peptide derived from human Glutaredoxin 2	
Isotype:	IgG	
Isotype: Cross-Reactivity:	IgG Human, Rat	
Isotype:  Cross-Reactivity:  Predicted Reactivity:	IgG  Human, Rat  Mouse,Dog,Cow,Sheep,Rabbit	
Isotype:  Cross-Reactivity:  Predicted Reactivity:  Purification:	IgG  Human, Rat  Mouse,Dog,Cow,Sheep,Rabbit	
Isotype:  Cross-Reactivity:  Predicted Reactivity:  Purification:  Target Details	IgG Human, Rat Mouse,Dog,Cow,Sheep,Rabbit Purified by Protein A.	

Background: Glutathione-dependent oxidoreductase that facilitates the maintenance of mitochondrial redox homeostasis upon induction of apoptosis by oxidative stress. Involved in response to hydrogen peroxide and regulation of apoptosis caused by oxidative stress. Acts as a very efficient catalyst of monothiol reactions because of its high affinity for protein glutathione-mixed disulfides. Can receive electrons not only from glutathione (GSH), but also from thioredoxin reductase supporting both monothiol and dithiol reactions. Efficiently catalyzes both glutathionylation and deglutathionylation of mitochondrial complex I, which in turn regulates the superoxide production by the complex. Overexpression decreases the susceptibility to apoptosis and prevents loss of cardiolipin and cytochrome c release.

Gene ID: 51022

UniProt: Q9NS18

Pathways: Cell RedoxHomeostasis

## **Application Details**

Application Notes: FCM 1:20-100

Restrictions: For Research Use only

## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months