

### Datasheet for ABIN6988980

# anti-Survivin antibody



(	)	V		rV	ĺ	9	V	V
'	$\mathcal{I}$	٧V	<u> </u>	v	1	$\overline{}$	٧	٧

Quantity:	100 μL
Target:	Survivin (BIRC5)
Reactivity:	Human, Rat
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Survivin antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (IF), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunohistochemistry (Frozen Sections) (IHC (fro))

### **Product Details**

Immunogen:	Recombinant human Survivin	
Clone:	Mix-mA	
Isotype:	IgG	
Cross-Reactivity:	Human, Rat	
Purification:	Purified by Protein A.	
Target Details		

Target:	Survivin (BIRC5)
Alternative Name:	Survivin (BIRC5 Products)

## Target Details

•	
Background:	Synonyms: API4, API-4, API 4, Survivin variant 3 alpha, Apoptosis Inhibitor 4, Apoptosis inhibitor
	survivin, Apoptosis inhibitor4, Baculoviral IAP repeat containing 5, Baculoviral IAP repeat
	containing protein 5, Baculoviral IAP repeat-containing protein 5, BIRC 5, BIRC5, BIRC-5, EPR 1,
	EPR-1, IAP4, IAP-4, IAP 4, SVV, TIAP, BIRC5_HUMAN.??
	Background: May play a role in neoplasia. May counteract a default induction of apoptosis in
	G2/M phase. Interacts with tubulin. Inhibitor of caspase-3 and caspase-7. Component of the
	chromosomal passenger complex (CPC), a complex that acts as a key regulator of mitosis. The
	CPC complex has essential functions at the centromere in ensuring correct chromosome
	alignment and segregation and is required for chromatin-induced microtubule stabilization and
	spindle assembly. Belongs to the IAP family.?
Gene ID:	332
UniProt:	015392
Pathways:	Apoptosis, Cell Division Cycle, Nuclear Hormone Receptor Binding
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(ICC) 1:50-200
	IF()
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C

# Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months