antibodies -online.com





anti-NGFB antibody (AA 122-241)



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL
Target:	NGFB
Binding Specificity:	AA 122-241
Reactivity:	Mouse, Rat, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NGFB antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	Recombinded human NGF beta full length protein
Isotype:	IgG
Cross-Reactivity:	Dog, Mouse, Rat
Predicted Reactivity:	Human,Cow,Sheep,Pig
Purification:	Purified by Protein A.

Target Details

Target:	NGFB		
---------	------	--	--

Target Details

raiget Details		
Alternative Name:	NGFB (NGFB Products)	
Background:	Synonyms: NGF, Beta nerve growth factor, NGF-beta, Beta nerve growth factor precursor, Beta	
	NGF, HSAN5, MGC161426, MGC161428, Nerve growth factor beta, Nerve growth factor beta	
	polypeptide, Nerve growth factor beta subunit, NGF B, NGFB, NID67, NGF beta, NGF-B,	
	NGF_HUMAN.	
	Background: Nerve growth factor is important for the development and maintenance of the	
	sympathetic and sensory nervous systems. Extracellular ligand for the NTRK1 and NGFR	
	receptors, activates cellular signaling cascades through those receptor tyrosine kinase to	
	regulate neuronal proliferation, differentiation and survival.	
Gene ID:	4803	
UniProt:	P01138	
Pathways:	NF-kappaB Signaling, RTK Signaling, Regulation of Cell Size	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
recaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE		
	handled by trained staff only.	

Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months