



[Go to Product page](#)

Datasheet for ABIN6989160
anti-FOXP4 antibody (AA 1-100)

Overview

Quantity:	100 µL
Target:	FOXP4
Binding Specificity:	AA 1-100
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FOXP4 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FOXP4
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human, Mouse, Dog, Cow, Sheep, Horse, Chicken, Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	FOXP4
---------	-------

Target Details

Alternative Name: FOXP4 ([FOXP4 Products](#))

Background: Synonyms: 1200010K03Rik, 2310007G05Rik, FKHLA, FLJ40908, FLJ44184, Fork head related protein like A, Fork head-related protein-like A, Forkhead box P4, Forkhead box protein P4, FOX P4, FOXP 4, foxp4, FOXP4_HUMAN, hFKHLA, mFKHLA, OTTHUMP00000016374, OTTHUMP00000039784, OTTHUMP00000043412, OTTHUMP00000043536, Winged helix repressor FOX P4, Winged helix repressor FOXP 4, Winged helix repressor FOXP4.

Background: This gene belongs to subfamily P of the forkhead box (FOX) transcription factor family. Forkhead box transcription factors play important roles in the regulation of tissue- and cell type-specific gene transcription during both development and adulthood. Many members of the forkhead box gene family, including members of subfamily P, have roles in mammalian oncogenesis. This gene may play a role in the development of tumors of the kidney and larynx. Alternative splicing of this gene produces multiple transcript variants, some encoding different isoforms. [provided by RefSeq, Jul 2008]

Gene ID: 116113

UniProt: [Q8IVH2](#)

Application Details

Application Notes: ELISA 1:500-1000
IHC-P 1:200-400
IHC-F 1:100-500
IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200
ICC 1:100-500

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Handling

handled by trained staff only.

Storage: 4 °C,-20 °C

Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Expiry Date: 12 months