

Datasheet for ABIN6989210 anti-OSBPL3 antibody (AA 51-150)



Overview

Quantity:	100 µL
Target:	OSBPL3
Binding Specificity:	AA 51-150
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This OSBPL3 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-
	embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)),
	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human OSBPL3
lsotype:	lgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Horse
Purification:	Purified by Protein A.

Target Details

Target: OSBPL3

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6989210 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Alternative Name:	OSBPL3 (OSBPL3 Products)
Background:	Synonyms: DKFZp667P1518, KIAA0704, MGC21526, ORP 3, ORP-3, ORP3, OSBL3_HUMAN,
	OSBP related protein 3, OSBP-related protein 3, OSBP3, Osbpl3, Oxysterol binding protein 3,
	Oxysterol binding protein like 3, Oxysterol binding protein related protein 3, Oxysterol-binding
	protein-related protein 3.
	Background: This gene belongs to the subfamily of ubiquitously expressed heterogeneous
	nuclear ribonucleoproteins (hnRNPs). The hnRNPs are RNA binding proteins and they complex
	with heterogeneous nuclear RNA (hnRNA). These proteins are associated with pre-mRNAs in
	the nucleus and appear to influence pre-mRNA processing and other aspects of mRNA
	metabolism and transport. While all of the hnRNPs are present in the nucleus, some seem to
	shuttle between the nucleus and the cytoplasm. The hnRNP proteins have distinct nucleic acid
	binding properties. The protein encoded by this gene has two repeats of quasi-RRM domains
	that bind to RNAs. It is localized in nuclear bodies of the nucleus. This protein is involved in the
	splicing process and it also participates in early heat shock-induced splicing arrest by
	transiently leaving the hnRNP complexes. Several alternatively spliced transcript variants have
	been noted for this gene, however, not all are fully characterized. [provided by RefSeq, Jul 2008]
Gene ID:	26031
UniProt:	Q9H4L5
Application Details	
Application Notes:	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500

Handling	
Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

For Research Use only

IF(ICC) 1:50-200

ICC 1:100-500

Restrictions:

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN6989210 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

Handling

Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months