
# antibodies -online.com





## anti-OSBPL9 antibody (AA 101-200)



Go to Product page

$\sim$			
	N/P	r\/I	i⊢₩

Quantity:	100 μL	
Target:	OSBPL9	
Binding Specificity:	AA 101-200	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This OSBPL9 antibody is un-conjugated	
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human OSBPL9	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	Purified by Protein A.	

### Target Details

Target:	OSBPL9
Alternative Name:	OSBPL9 (OSBPL9 Products)

#### **Target Details**

Target Details		
Background:	Synonyms: FLJ12492, FLJ14629, FLJ14801, OSBL9_HUMAN, FLJ32055, FLJ34384,	
	MGC15035, ORP9, OSBP related protein 9, OSBP4, Oxysterol binding protein like 9, Oxysterol	
	binding protein related protein 9, oxysterol binding protein-like 9, oxysterol binding proteinlike 9.	
	Background: This gene encodes a member of the oxysterol-binding protein (OSBP) family, a	
	group of intracellular lipid receptors. Most members contain an N-terminal pleckstrin homology	
	domain and a highly conserved C-terminal OSBP-like sterol-binding domain, although some	
	members contain only the sterol-binding domain. This family member functions as a	
	cholesterol transfer protein that regulates Golgi structure and function. Multiple transcript	
	variants, most of which encode distinct isoforms, have been identified. Related pseudogenes	
	have been identified on chromosomes 3, 11 and 12. [provided by RefSeq, Jul 2010]	
Gene ID:	114883	
UniProt:	Q96SU4	
Application Details		
Application Notes:	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

1	1 11	١٠
$\vdash$	land	unc
	ıarıa	11110

Expiry Date:

12 months