antibodies - online.com







anti-MRPL20 antibody (AA 81-149)



()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL	
Target:	MRPL20	
Binding Specificity:	AA 81-149	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MRPL20 antibody is un-conjugated	
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MRPL20
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Sheep,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

		MRPL20	Target:
--	--	--------	---------

Target Details

rarget Details		
Alternative Name:	MRPL20 (MRPL20 Products)	
Background:	Synonyms: 39S ribosomal protein L20, mitochondrial, L20mt, MGC4779, RM20_HUMAN,	
	MGC74465, Mitochondrial ribosomal protein L20, MRPL 20.	
	Background: MRPL20 is one of more than 70 protein components of mitochondrial ribosomes	
	that are encoded by the nuclear genome. MRPL20 is a subunit of the 39S mitochondrial	
	ribosome. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large	
	39S subunit. They have an estimated 75 % protein to rRNA composition compared to	
	prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian	
	mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different	
	species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in	
	biochemical properties, which prevents easy recognition by sequence homology.	
Gene ID:	55052	
UniProt:	Q9BYC9	
Application Details		
Application Notes:	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months