

Datasheet for ABIN6989292

anti-UCP2 antibody (AA 51-120)



Overview

Quantity:	100 μL
Target:	UCP2
Binding Specificity:	AA 51-120
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UCP2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunocytochemistry (ICC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human UCP-2
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.
Purification: Target Details	Purified by Protein A.

Target Details

Alternative Name:	UCP-2 (UCP2 Products)
Background:	Synonyms: Uncoupling Protein-2, UCP2, UCP 2, BMIQ4, Mitochondrial uncoupling protein 2,
	SLC25A8, UCPH, Uncoupling protein 2, Uncoupling protein 2 mitochondrial proton carrier,
	Solute carrier family 25 member 8, UCP2_HUMAN.,
	Background: UCPs facilitate the transfer of anions from the inner to the outer mitochondrial
	membrane and the return transfer of protons from the outer to the inner mitochondrial
	membrane. They also reduce the mitochondrial membrane potential in mammalian cells. UCP2
	gene is expressed in many tissues, with the greatest expression in skeletal muscle. UCP2 is
	thought to play a role in non shivering thermogenesis, obesity and diabetes.
Gene ID:	7351
UniProt:	P55851
Pathways:	Negative Regulation of Hormone Secretion, Carbohydrate Homeostasis, Proton Transport
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
	ICC 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months