# antibodies - online.com





Datasheet for ABIN6989325

# anti-GPC1 antibody (AA 251-350)



$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL	
Target:	GPC1	
Binding Specificity:	AA 251-350	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GPC1 antibody is un-conjugated	
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffinembedded Sections) (IF (p)), Immunocytochemistry (ICC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from mouse Glypican 1
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Mouse,Dog,Cow,Sheep,Horse
Purification:	Purified by Protein A.

#### Tarnet Details

rarget Details		
Target:	GPC1	

## Target Details

rarget Details		
Alternative Name:	Glypican 1 (GPC1 Products)	
Background:	Synonyms: FLJ38078, glypican, glypican1, GPC 1, Glypican-1, GPC1, Glypican proteoglycan 1,	
	Gpc1, GPC1_HUMAN, Secreted glypican-1.	
	Background: Cell surface proteoglycan that bears heparan sulfate. Binds, via the heparan	
	sulfate side chains, alpha-4 (V) collagen and participates in Schwann cell myelination (By	
	similarity). May act as a catalyst in increasing the rate of conversion of prion protein PRPN(C)	
	to PRNP(Sc) via associating (via the heparin sulfate side chains) with both forms of PRPN,	
	targeting them to lipid rafts and facilitating their interaction. Required for proper skeletal muscl	
	differentiation by sequestering FGF2 in lipid rafts preventing its binding to receptors (FGFRs)	
	and inhibiting the FGF-mediated signaling.	
Gene ID:	14733	
UniProt:	Q9QZF2	
Pathways:	Glycosaminoglycan Metabolic Process, Regulation of Muscle Cell Differentiation	
Application Details		
Application Notes:	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
	ICC 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	

# Handling

Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months